



Offers  
Accepted

# CLEARANCE SALE

**EVERYTHING MUST GO**

POWER SUPPLIES, CABLES  
SERVER CABINETS, TOOLS & MORE



**CALL NOW**

**02 9414 8888**

Sydney (Head Office)  
Brisbane Office  
Melbourne Office  
Adelaide Office

Phone: (02) 9414 8888  
Phone: (07) 3308 5555  
Phone: (03) 9330 8333  
Phone: (08) 8338 5540

[websales@accesscomms.com.au](mailto:websales@accesscomms.com.au)  
[brisbane@accesscomms.com.au](mailto:brisbane@accesscomms.com.au)  
[melbourne@accesscomms.com.au](mailto:melbourne@accesscomms.com.au)  
[adelaide@accesscomms.com.au](mailto:adelaide@accesscomms.com.au)

**ACCESS**  
COMMUNICATIONS PTY LTD

# DATAMASTER

## Bulk Cables

Offers Accepted

### 2 Pair Screened Data Cable



The individual shielded twisted pairs are great for many applications. The cable offers protection against electrical magnetic interference with the use of aluminium-polyester shielding. Widely used for Industrial Automation, Aerospace, Communication, Automotive. PVC outer jacket material.

CAT#	COLOUR	LENGTH	PACKING	PRICE
Y8408300	Black	300 Metre	Reel	<b>\$0.38</b>

### Cat5e Stranded Conductor UTP Cable



Our quality Cat-5e stranded conductor cable is suitable for assembly of patch cords. 4 twisted pairs 24AWG with 7/0.20mm<sup>2</sup> stranded conductors. Available on 100 and 305 metre reels or in durable 305 metre 5-ply pull-boxes. Count-down metre-marking.

CAT#	COLOUR	LENGTH	PACKING	PRICE
Y8100GRY	Ash	305 Metre	Pull-box	<b>\$0.66</b>
Y8100RED	Red	305 Metre	Pull-box	<b>\$0.45</b>
Y8100YEL	Yellow	305 Metre	Pull-box	<b>\$0.42</b>
Y8100PNK	Pink	305 Metre	Pull-box	<b>\$0.34</b>

### Mini-RG59 Coaxial Cable



Mini RG59/U coaxial cable for high density patch panel solutions. Typical applications include studio integration, mobile broadcasting industry and video intercom installations. Solid copper centre conductor, 94% braid coverage, black jacket with count-down meter marking. Supplied on 100 metre or 305 metre strong polypropylene reels.

CAT#	COLOUR	CORE	LENGTH	PACKING	PRICE
Y8051-100	Black	Solid copper	100 Metre	Reel	<b>\$0.23</b>
Y8051-305	Black	Solid copper	305 Metre	Reel	<b>\$0.22</b>

### RG59/U Solid Copper CCTV Coaxial Cable



RG59/U coaxial cable for CCTV/Security Camera and TV use. Braided copper shield has 95% coverage and dielectric is solid PE. Solid copper conductor. Black jacket with count-down metre-marking. Supplied on 100 metre, 250 metre or 500 metre strong polypropylene reels or 305 metre reel-in-a-box.

CAT#	COLOUR	CORE	PACKING	PRICE
Y8057-002	Black	Solid copper	100 Metre Reel	<b>\$0.26</b>


### RG6/U Dual-Shield Coaxial Cable



RG6/U dual-shield 75 ohm coaxial cable for TV and security camera applications. Low-loss for use on long runs. Aluminium braid and foil shield. Gas-injected (foamed) PE dielectric. Copper clad steel conductor for tensile strength and reliable connection to F-Type connectors. Black jacket with count-down metre-marking.

CAT#	COLOUR	CORE	PACKING	PRICE
Y8021-002	Black	Solid copper	100 Metre Reel	<b>\$0.34</b>
Y8023-003	Black	Solid copper	305 Metre Reel	<b>\$0.35</b>

### Double Insulated Intercom Cable



Two solid tinned-copper conductors with PE insulation and PVC jacket. Available on 100 metre, 200 metre and 500 metre reels with count-down metre marking. Typical applications include audio and video cabling for 2-wire intercom systems.

CAT#	COLOUR	CONDUCTORS	LENGTH	PACKING	PRICE
Y3442-12G	Green	2 x 1/1.2mm <sup>2</sup>	200 Metre	Reel	<b>\$0.42</b>

**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD

# DATA MASTER

## Bulk Cables

Offers Accepted


### 4 Conductor Security Cable

Multicore 4 conductor cable for security applications with either 7/0.20mm<sup>2</sup> or 14/0.20mm<sup>2</sup> stranding. With count-down metre-marking. Custom made cable is also available.



CAT#	CONDUCTORS	COLOUR	LENGTH	PACKING	PRICE
Y4141GRY	4 x 7/0.20mm <sup>2</sup>	Grey	100 Metre	Reel	\$0.13
Y4244GRY	4 x 14/0.20mm <sup>2</sup>	Grey	305 Metre	Pull-box	\$0.36

### 8 Conductor Flat Cord



CAT#	COLOUR	LENGTH	PACKING	PRICE
Y9405	Grey	500 Metre	Reel	\$0.15
Y9400	Ivory	500 Metre	Reel	\$0.21

### General Purpose 24/0.20 Figure-8 Cable


General purpose figure-8 cable suitable for speakers, security systems and other low voltage applications. Printing on one conductor provides easy identification to avoid polarity-reversals during installation. Each conductor has 24 strands of 0.20mm<sup>2</sup> diameter copper wire giving an overall conductor-size of 0.75mm<sup>2</sup> (20AWG).



CAT#	COLOUR	LENGTH	PACKING	PRICE
Y3406RED	Red	250 Metre	Reel	\$0.24
Y3405RED	Red	100 Metre	Reel	\$0.23
Y3406WHI	White	250 Metre	Reel	\$0.27


### 6 Conductor Security Cable

Multicore 6 conductor cable for security applications with either 7/0.20mm<sup>2</sup> or 14/0.20mm<sup>2</sup> stranding. Supplied on 100 and 305 metre strong polypropylene reels or 305 metre pull-boxes, all with count-down metre-marking. Other reel sizes or jacket colours can be custom made.



CAT#	CONDUCTORS	COLOUR	LENGTH	PACKING	PRICE
Y4161GRY	6 x 7/0.20mm <sup>2</sup>	Grey	100 Metre	Reel	\$0.30
Y4161WHIA	6 x 7/0.20mm <sup>2</sup>	White	100 Metre	Reel	\$0.31
Y4163GRY	6 x 7/0.20mm <sup>2</sup>	Grey	305 Metre	Reel	\$0.30
Y4164WHI	6 x 7/0.20mm <sup>2</sup>	White	305 Metre	Pull-box	\$0.32
Y4261WHI	6 x 14/0.20mm <sup>2</sup>	White	100 Metre	Reel	\$0.50

### 10 Conductor Flat Cord



CAT#	COLOUR	LENGTH	PACKING	PRICE
Y9505	Ash	200 Metre	Reel	\$0.29

### High Grade Speaker Cable

Quality high grade, heavy duty figure-8 speaker cable with transparent PVC jacket. Blue trace-line on one conductor provides easy identification to avoid polarity-reversals during installation. (7x37)259/0.12mm<sup>2</sup> (12AWG) twisted conductors. Supplied on 100 metre, strong polypropylene reels with count-down metre-marking.



CAT#	JACKET	CONDUCTORS	LENGTH	PACKING	PRICE
Y3428	2 x 5.05mm <sup>2</sup>	(7x37)259/0.12mm <sup>2</sup>	100 Metre	Reel	\$0.98

**CLEARANCE SALE**  
EVERYTHING MUST GO

**CALL NOW**  
02 9414 8888

**ACCESS**  
COMMUNICATIONS PTY LTD

# DATAMASTER

## Bulk Cables

Offers Accepted

### Extra Heavy Duty Speaker Cable

Quality extra heavy duty figure-8 speaker cable with transparent PVC jacket. White trace-line on one conductor provides easy identification to avoid polarity-reversals during installation. 2 x 79/0.20mm<sup>2</sup> (13AWG) conductors. Supplied on 100 metre, strong polypropylene reels with count-down metre-marking.



CAT#	JACKET	CONDUCTORS	LENGTH	PACKING	PRICE
Y3424	2 x 3.60mm <sup>2</sup>	79/0.20mm <sup>2</sup>	100 Metre	Reel	<b>\$0.63</b>

### High Grade OFC Speaker Cable

High quality Oxygen Free Copper (OFC) speaker cable for excellent performance. The flat edge on one side of the transparent PVC jacket and printing on one conductor provide easy identification to avoid polarity-reversals during installation. Each conductor has 189 strands of 0.10mm<sup>2</sup> diameter Oxygen Free Copper (twisted in 7 groups of 27) giving an overall conductor-size of 1.5mm<sup>2</sup> (approx 15AWG). Supplied on 100 metre roll with count-down metre marking.



CAT#	JACKET	CONDUCTORS	PACKING	PRICE
Y3420	2 x 5.20mm <sup>2</sup>	(7x27)189/0.10mm <sup>2</sup>	100 Metre Reel	<b>\$0.69</b>

### Instrumentation Cable 1 Pair


Our instrumentation cable is suitable for a wide range of applications across industries where manufacturing and processing operations are controlled and measured by electronic means. Predominantly used as access control cable in commercial air conditioning installation.



CAT#	COLOUR	LENGTH	PACKING	PRICE
Y4805200	Black	200 Metre	Reel	<b>\$0.69</b>

### Instrumentation Cable 2 Pair

Our instrumentation cable is suitable for a wide range of applications across industries where manufacturing and processing operations are controlled and measured by electronic means. Predominantly used as access control cable in commercial air conditioning installation.



CAT#	COLOUR	LENGTH	PACKING	PRICE
Y4806100	Black	100 Metre	Reel	<b>\$1.00</b>
Y4806200	Black	200 Metre	Reel	<b>\$1.01</b>

### Cat-5E Composite Cable

Composite cable containing a Cat-5E cable plus two 24/0.20mm<sup>2</sup> conductors (one red, one black) for power feed. Suitable for IP CCTV/Security-camera use where a separate power feed is required for the camera and/or pan/tilt/zoom mechanism. Outer jacket is flexible blue PVC with count-down metre-marking. Available on 100 metre or 200 metre wooden reels.



CAT#	COLOUR	LENGTH	PACKING	PRICE
Y8065-100	Black	100 Metre	Reel	<b>\$0.58</b>
Y8065-200	Black	100 Metre	Reel	<b>\$0.72</b>

### RG59 Composite

Composite cable allows you to send power and a video signal down just the one cable, saving installation time by fitting 1 cable instead of 2! Solid copper core to give maximum video quality on longer cable runs and is shielded with a glued foil sheath to protect against interference. The loose foil shorting to the centre-pin is also minimised. The aluminium wire shielding provides protection against interference. Power core of 0.15 x 24 stranded to prevent interruptions and are colour coded red 12V and black 0V to avoid any errors in connection. These power cores can also be used to run 24V AC.



CAT#	COLOUR	CORE	LENGTH	PACKING	PRICE
Y8060-250F	Black	Solid copper	250 Metre	Reel	<b>\$0.72</b>

**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD



# DATAMASTER

## Patch Cables

Offers Accepted

### Duplex Multimode OM4 LC to LC Fibre Patch Cords

Fibre optic duplex multimode patch cord fitted with duplex LC connector on both ends. 50/125µm (50µm fibre with 125µm cladding) OM4 fibre with 3.0mm LSZH (Low Smoke Zero Halogen) purple jacket. Used for general fibre applications which include fibre switches, patch panels and servers. Duplex fibre consists of two fibres in a figure-8 configuration which is required for applications that require simultaneous, bi-directional data.



CAT#	LENGTH	COLOUR	PRICE
F2422-010	1.0 Metre	Purple	\$7.24

### Cat6a S/FTP LSZH Patch Cords


S/FTP Cat6a patch cables are standard for Gigabit and 10-Gigabit network connections. Made from 100% Oxygen-Free Copper. 4 twisted pairs (multi-stranded) T568B colour code. Shielded modular plugs. RJ45-RJ45 connectors with Snagless Latch Protectors. Injection-moulded connectors ensure the highest quality and outstanding strain relief. Supplied in Datamaster® Poly Hang-cell bags.



CAT#	COLOUR	LENGTH	PRICE
W2875ASH	Ash	30 Metre	\$37.92
W2870ASH	Ash	20 Metre	\$16.12
W2855ASH	Ash	5.0 Metre	\$4.76
W2855BLU	Blue	5.0 Metre	\$5.54
W2870BLU	Blue	20 Metre	\$26.62
W2875BLU	Blue	30 Metre	\$36.16
W2853PNK	Pink	3.0 Metre	\$5.59
W2855PUR	Purple	5.0 Metre	\$6.67

### Cat5e Crossover

Category 5e cables with all 4 pairs crossed over. Suitable for 10/100 or Gigabit applications that require cross-over wiring. Red cord jacket with Blue injection moulded boots minimises chance of confusion with straight-through cords. Boots have snag-less design to avoid entanglement with other cords during hook-up.



CAT#	COLOUR	LENGTH	PRICE
W2582	Black	2.0 Metre	\$1.28

### Cat5e UTP Patch Cable

Made from 100% Oxygen-Free Copper. 4 twisted pairs (multi-stranded) T568A colour code. Shielded modular plugs. RJ45-RJ45 connectors with Snagless Boots. Injection-moulded connectors ensure the highest quality and outstanding strain relief. Supplied in Datamaster® Poly Hang-cell bags.



CAT#	COLOUR	LENGTH	PRICE
W2653PUR	Purple	3.0 Metre	\$1.51
W2665ASH	Ash	15 Metre	\$7.65

### Cat6 UTP Patch Cable

Cat6 cable is standard for Gigabit Ethernet and other network protocols that are backward compatible with Cat5/5e and Cat3 standards. Made from 100% Oxygen-Free Copper. 4 twisted pairs (multi-stranded) T568A colour code. Shielded modular plugs. RJ45-RJ45 connectors with Snagless Boots. Injection-moulded connectors ensure the highest quality and outstanding strain relief. Supplied in Datamaster® Poly Hang-cell bags.



CAT#	COLOUR	LENGTH	PRICE
W2755WHI	White	5.0 Metre	\$3.83

**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD

# DATAMASTER

## Patch Cables

Offers Accepted

### HDMI™ 4K @60Hz

Durable fabric sleeve. High-Definition Multimedia Interface cables fitted with HDMI™ type-A 19-pin plugs for 1080p & 4K2K digital connections between compatible audio/video source components and display devices such as LCD or plasma screens and projectors. HDMI™ plugs are gold plated for the highest quality connections.



CAT#	COLOUR	LENGTH	PRICE
W1409030	Black/Blue	3.0 Metre	\$5.20

### HDMI™ Active Optical Cable

HDMI™ over Fibre Optical cables, the best and only way to transmit 4K and HDR at lengths over 20 metres! Supports Ultra HD 4K@60Hz throughput at lengths beyond the ability of traditional copper cables. The cable operates like a conventional HDMI™ cable and is finished with 24k Gold Plated HDMI™ Male (19-pin) at either end.



CAT#	COLOUR	PACK	PRICE
W14220050	Black	50 Metre	\$254.15
W14220100	Black	100 Metre	\$360.02

### Cat5e Shielded UV Stabilised

UV Stabilised Cat5e Solid Shielded Patch Cable. Suitable for outdoor use and due to its tough, thick UV-Stabilised jacket can be exposed to sunlight. FTP Foiled Twisted Pair.



CAT#	LENGTH	PRICE
W88561UNI	1.0 Metre	\$1.61

### Datamaster® Video + Power CCTV Balun

Used to carry CCTV video signal and power feed over Cat5e or Cat6 cable. Transmits colour video up to 400 metres and 12V or 24V power feed up to 250 metres. Integrated surge protection. Male BNC for video connections, male/female barrel plug/socket for power feed and either push-pin or RJ45 for connection to the Cat5e or Cat6 cable. Set of two.



CAT#	CONNECTORS	CAT5e/6 TERMINALS	PACKING	PRICE
P0752-001	Male BNC 11 x 5.5 x 2.1mm DC plug/socket	Push-pin	1 Pair	\$13.63

### USB Type C Adaptor

DATAMASTER® USB type C adaptor provides simultaneous HDMI output, 2 x USB-A 2.0 connection, USB-C charging and USB-A 3.0 port for high speed data transfer. Delivers 4K2K resolution to your compatible 4K2K TV or monitor.



CAT#	OUTPUT	PRICE
P0772001	4K2K capable HDMI output, 2 x USB-A 2.0, USB type C charging, 1 x USB-A 3.0.	\$8.89

### 18 AWG Solder Tube Red

Heat shrink soldering tube, suitable to securely joining 2 wires together without soldering iron. Maximum wire size 18AWG.



CAT#	Packing	PRICE
P0720018RED	100-pack	\$0.20

**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD

# DATAMASTER

## Patch Cables

Offers Accepted

### USB-C Cord

The Datamaster USB-C to USB-A Adapter allows you to connect your flash drive, keyboard, mouse, or other standard USB-A device to a USB-C enabled device. Plus, the cable also supports up to 2.4 Amps of power output for charging as well as data transfer speeds of up to 5 Gbps. Connecting from a standard USB-A device to a USB-C (also known as USB Type-C) enabled device. Also compatible with Thunderbolt™ 3.



CAT#	COLOUR	LENGTH	PRICE
W27030011	Black	1.0 Metre	<b>\$2.32</b>
W27030012	Black	2.0 Metre	<b>\$3.21</b>

### USB-C Cord with LED

The Datamaster USB-C to USB-A Adapter allows you to connect your flash drive, keyboard, mouse, or other standard USB-A device to a USB-C enabled device. Plus, the cable also supports up to 2.4 Amps of power output for charging as well as data transfer speeds of up to 5 Gbps.




The Type C connector has a LED light that indicates the charging status whilst also allowing you to find your device easily in the dark. Connecting from a standard USB-A device to a USB-C (also known as USB Type-C) enabled device. Also compatible with Thunderbolt™ 3.

CAT#	COLOUR	LENGTH	PRICE
W27030021	Black	3.0 Metre	<b>\$4.25</b>
W27030022	Black	2.0 Metre	<b>\$4.55</b>

### Micro USB Cord

Shielded Universal Serial Bus (USB) cord compatible with USB 2.0. Fitted with USB-A plug to Micro USB-B plug. Two x 28AWG (signal) and 2 x 24AWG (power) conductors. Commonly used on recently released mobile phones, PDAs and other handheld devices for data connection to a PC and/or battery charging.



CAT#	COLOUR	LENGTH	PRICE
W2701-010	Black	1.0 Metre	<b>\$1.47</b>
W2701-020	Black	2.0 Metre	<b>\$0.89</b>

### USB Cord

Shielded Universal Serial Bus (USB) cord compatible with USB 2.0. Fitted with USB-A plug to USB-B plug. Two x 28AWG (signal) and 2 x 24AWG (power) conductors.



CAT#	COLOUR	LENGTH	PRICE
W2725BLK	Black	1.5 Metre	<b>\$1.00</b>

### 2 Conductor Modular Line Cord


2 conductor line cord with 6P2C RJ11 modular plugs on each end. Standard wiring is cross-over to suit most voice applications.



CAT#	LENGTH	WIRING	COLOUR	PACKING	PRICE
W2465BDG	1.8 Metre	Cross-over	Dark Grey	Bulk	<b>\$0.44</b>
W2465BLK	2.0 Metre	Cross-over	Black	Bulk	<b>\$0.41</b>

### 4 Conductor Modular Line Cord

4 conductor line cord with 6P4C RJ11 modular plugs on each end. Standard wiring is cross-over to suit most voice applications.



CAT#	LENGTH	WIRING	COLOUR	PACKING	PRICE
W2530ACB	25 Metre	Cross-over	Ivory	Blister	<b>\$6.12</b>

**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD



# DATAMASTER

## Server Cabinets



### C1800 Series Server Cabinets



Floor standing 19", 800mm wide heavy-duty server cabinets available in 42RU and 45RU configurations with choice of 3 depths.

Features: Removable lockable single reversible door with ventilated mesh front. Removable lockable double rear doors with ventilated mesh. Removable lockable double-section side access panels. Ceiling mounted cooling fans for generous ventilation. Floorless design for optimal ventilation (floor panels optional). Front and rear vertical cable management side cable trays. Adjustable front and rear rails. Level adjustable feet and heavy duty swivelling castors included. Heavy duty construction allows 1200KG (maximum) loading capacity. Powder coated Steel - black. IP20 rated.

Plus DATAMASTER carries a range of ventilated shelves, keyboard shelves and sliding shelves is available. Applications include LAN servers, patch panels, network switches, telephone systems, AV, CCTV security camera DVR's.

CAT#	CAPACITY	DIMENSIONS	FANS	PACKING	PRICE
C1842-812	42RU	800(W) x 1270(D) x 2055(H)mm	4	Flat Packed (Fully Assembled on request)	<b>\$860.06</b>
C1845-810	45RU	800(W) x 1070(D) x 2150(H)mm	4	Flat Packed (Fully Assembled on request)	<b>\$1,016.30</b>

### 24 Angled Keystone Patch Panel with Cable Management



24 Port Angled Keystone unloaded Patch Panels are designed to easily route cables, eliminating the need for horizontal, front cable management bars. The unloaded panels are suitable for Cat5e, Cat6 and Cat 6A keystone jacks or couplers. Provides a high density solution into server racks and cabinets networking installation.

CAT#	RU	PORT	PRICE
P4024ANG	1	24	<b>\$21.40</b>

### 3-In1 Toner Tracer Cable Test

Wiring system tester, connection map test for discontinuity, short circuit, reversed pairs, crossed pairs, wire tracing, cable continuity, polarity and verifying a line. Possibility of identifying & tracing wires or cables with no damage to insulation. Max.1km cable length, min. receiver distance: 60cm. Signal frequency 500-781Hz, signal frequency 500Hz~781Hz .



CAT#	PRICE
T0116	<b>\$87.01</b>

**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD

# POWERMASTER

## Power Supplies

Offers Accepted

### In-line Switch Mode Power Supply 60J Series

In-line light weight compact Switch Mode Power Supply Units with a wide 96V-264V AC input voltage range to suit travel product applications. Standard IEC-C6, IEC-C8 or IEC-C14 inlet allows the correct IEC-C5, IEC-C7 or IEC-C13 power cord to be selected for different countries. Electrical Safety Authority Approved. Popular models are shown in the table below. Other voltages and choice of output plug can be custom made upon request. Dimensions: 115(L) x 52(W) x 34(H)mm, Maximum output power: 60W



CAT#	OUTPUT	PLUG	CENTRE	IEC	HOUSING	PRICE
T0540-025	5V DC 4.0A	11 x 5.5 x 2.5	Pos	C-14	60J	\$13.63

### Wall Mount Switch Mode Power Supply 18J Series

Wall mounted light weight and compact Switch Mode Power Supply Units with a wide 90V-264V AC input voltage range to suit travel product applications. The narrow width (excluding the 30G Series) allows two adaptors to be used in a standard double power outlet. Insulated active and neutral pins meet AS/NZS3112 for improved electrical safety. Electrical Safety Authority Approved. Popular models are shown in the table below. Other voltages and choice of output plug can be custom made upon request. Dimensions: 39(W) x 79(H) x 38(D) mm, Maximum output power: 18W



CAT#	OUTPUT	PLUG	CENTRE	HOUSING	PRICE
T1810-25J	18V DC 1.0A	11 x 5.5 x 2.5mm	Pos	18J	\$5.40
T0530-21J	5V DC 3.0A	11 x 5.5 x 2.1mm	Pos	18J	\$4.84

### 66A Series In-Line AC Adaptor

In-line AC adaptor with 48 Watt maximum capacity. Ventilated case. The 16V model feature a flush mounted LED indicator. The AC input cord is fitted with mains plug and insulated pins compliant with AS/NZS3112. Dimensions 110(L) x 83(W) x 65(H) mm. Electrical Safety Authority Approved.



CAT#	OUTPUT	PLUG	PRICE
T2420S/T	24V AC 2.0A	Stripped/Tinned	\$16.15

### Output Plug Extension Cord

Output cord extension with injection molded DC plug and socket. Extends the existing 11-55-21 output plug of a power supply up to 3mtrs Wiring is "straight thru" maintaining the existing polarity of your power supply. Length is 3,000mm overall and construction is 18AWG.



CAT#	SOCKET / PLUG	WIRING	COLOUR	CORD	PRICE
K3733-S21	11 x 5.5 x 2.1mm	Straight-thru	Black	Round	\$3.07

### Universal Laptop Power Supply 15V-20V



Powermaster slim universal laptop power supply with USB socket for phone or laptop charging. Auto ranging from 15V to 20V DC, 90 Watt maximum with 2.1A USB charging. The compact design is suitable for travel, dual charging capability allowing your laptop and smart phone/tablet charging at the same time. The universal laptop power supply comes with 12 tips to support major laptops brands including the latest USB-C tip.

CAT#	PLUG TYPE	DIMENSIONS	PRICE
T9050	Male	11 x 5.5 x 2.1mm	\$27.39

**CLEARANCE SALE**  
EVERYTHING MUST GO

**CALL NOW**  
02 9414 8888

**ACCESS**  
COMMUNICATIONS PTY LTD

# POWERMASTER

## Power Supplies

Offers Accepted

### DC Output Cords

Output cables fitted with injection molded DC output plugs.



CAT#	PLUG	LENGTH	CABLE TYPE	PRICE
K3735-338	11 x 5.5 x 2.5mm	3.3 Metre	Figure-8	\$1.51

### IEC-C13 to IEC-C14 Power Cord

10 Amp AC power cord used mainly to power monitors from the PC's IEC output. Fitted with female IEC-C13 and male IEC-C14 connectors. Electrical Safety Authority Approved.



CAT#	LENGTH	COLOUR	PRICE
K3795WHI	5.0 Metre	White	\$4.88
K3794WHI	3.0 Metre	White	\$2.40

### IEC Mains Socket Y Cord

10 Amp 3-core power cord fitted with one IEC-C14 connector, one IEC-C13 connector and one 3-pin Australian mains socket. Suitable for connection of a device fitted with a standard Australian mains plug and a device fitted with an IEC-C14 connector to a UPS or other device fitted with a IEC-C13 female connector. Length is 600mm overall, comprising 2 x 220mm IEC sections and a single 220mm section from the mains socket to the Y-junction. Electrical Safety Authority Approved.



CAT#	LENGTH	COLOUR	PRICE
K3773	220mm + 2 x 220mm	Black	\$3.87

### IEC-C13 Special Purpose Power Cord with Round Earth Pin

Power cord fitted with IEC-C13 connector (straight or right-angled) and Australian Special Purpose 3-pin mains plug with round earth pin and insulated active and neutral pins compliant with AS/NZS3112. Applications include lighting, exhaust fans, cash registers or IT equipment which may be connected to a special purpose power circuit. Electrical Safety Authority Approved.



CAT#	LENGTH	COLOUR	IEC-C13	PRICE
K3788-001	3.0 Metre	Grey	Straight	\$4.04
K3755-RND	2.0 Metre	Black	Right-angle	\$2.49

### IEC-C5 Appliance Cord

3-core general duty power cord as used on some compact Switch Mode Power Supplies (laptop computers) and small appliances. Fitted with IEC-C5 connector and Australian 3-pin mains plug with insulated pins compliant with AS/NZS3112. Electrical Safety Authority Approved.



CAT#	PLUG	LENGTH	COLOUR	PRICE
K3745-050	11 x 5.5 x 2.5mm	5.0 Metre	Black	\$5.40

### IEC-C5 Mains Y Cord

A 10 Amp 3-core power cord fitted with Australian 3-pin mains plug with insulated pins compliant with AS/NZS3112 and two IEC-C5 connectors. Suitable for some compact Switch Mode Power Supplies (laptop computers) and small appliances. Length is 2 metres overall, comprising 2 x 1.5 metre IEC-C5 sections and a single 500mm section from the mains plug to the Y-junction. Electrical Safety Authority Approved.



CAT#	LENGTH	COLOUR	PRICE
K3774050	500mm + 2 x 1.5 Metre	Black	\$6.01

**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD

# POWERMASTER

## Power Supplies

Offers Accepted

### Extension Power Cord

Australian 10 Amp general duty extension power cord with a 3-pin mains plug with insulated pins compliant with AS/NZS3112 and recessed mains socket. Packed in colourful and strong hang-sell poly-bags. Electrical Safety Authority Approved.



CAT#	LENGTH	COLOUR	PRICE
K4010	10 Metre	White	<b>\$10.10</b>
K4025	25 Metre	White	<b>\$6.73</b>

### U.S.A IEC-C15 Power Cord

For 110V use. AC power cord as used mainly to power computer servers from a UPS IEC outlet. Fitted with IEC-C15 connector and 110V U.S.A. 3-pin mains plug.



CAT#	LENGTH	COLOUR	PRICE
K3741USA03	3.0 Metre	Black	<b>\$3.28</b>
K3741USA02	2.0 Metre	Black	<b>\$2.72</b>

### IEC-C13 Power Cord

As used on most computers and office equipment. Fitted with IEC-C13 connector and Australian 3-pin mains plug with insulated pins compliant with AS/NZS3112. Electrical Safety Authority Approved.



CAT#	LENGTH	COLOUR	PRICE
K3750-020	20 Metre	Black	<b>\$11.15</b>

### IEC-C19 to IEC-C20 Power Cord

15 Amp 1.5mm<sup>2</sup> AC power cord fitted with female IEC-C19 15 Amp (16 Amp) and male IEC-C20 connectors. As used on rack mounted power boards, servers and UPS. Electrical Safety Authority Approved.



CAT#	LENGTH	COLOUR	PRICE
K3743-002	250mm	Black	<b>\$3.45</b>
K3743-010	1.0 Metre	Black	<b>\$4.39</b>
K3743-060	6.0 Metre	Black	<b>\$10.24</b>

### Datamaster's Uninterrupted Power Supply (UPS)



Datamaster's Uninterrupted Power Supply (UPS)  
Datamaster's UPS power supplies provide convenient and consistent power to your computer, network and other electronic equipment. Built-in protection features with automatic voltage regulator (AVR), surge, short circuit, overload, overcharge and discharge protection. Automatic self-diagnostic and alarm warnings plus events recorder of power incidents. Simulated sine wave output waveforms, advanced 'green mode', scheduled shutdown and reboot functions for energy saving. Datamaster's UPS is complete with it's user-friendly settings.

CAT#	VA	PRICE
K3020100	1000	<b>\$80.92</b>

**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD



# TELEMASTER

## Telephone Accessories



### 6 & 8 Conductor Coiled Cords

Flat or round coiled 6 or 8 conductor cord fitted with modular plugs. Can be supplied with any tail lengths, other connectors or unterminated if specified.



CAT#	COLOUR	COND	PLUGS	WIRING	LENGTH	PRICE
W3310	Black	6	6P6C	1-6	3.0 Metre	\$2.58

### Modular Coiled Handset Cords

Standard 4 conductor coiled cord fitted with 4P4C modular plugs. Can also be supplied with any tail lengths, other connectors or unterminated if specified.



CAT#	COLOUR	LENGTH	PACKING	PRICE
W3060ACB	White	3.0 Metre	Blister	\$0.85

### BNC Y-type Double Adaptor

One piece double adaptor fitted with one male BNC plug and two female BNC sockets. 180° "Y" configuration.



CAT#	PRICE
P0708	\$2.47

### 4 Position Modular Plug

Generally used for termination of coiled handset cords. Plugs with 50µ", 30µ" or 15µ" gold plated contacts are available. Packed in bags of 5, 20, 50, 100 or bulk. Plugs for stranded or solid conductors with round or flat cord entry are available.



CAT#	TYPE	CORD ENTRY	CONDUCTOR	PACKING	PRICE
P2122	4P4C	Round	Solid	Bulk	\$0.11

### 6 Position Modular Plug

Generally used for termination of line cords. Plugs with 50µ", 30µ", 15µ" or 6µ" gold plated contacts are available. Packed in bags of 5, 20, 50, 100 or bulk. Plugs for stranded or solid conductors with round or flat cord entry are stocked.



CAT#	TYPE	CORD ENTRY	CONDUCTOR	PACKING	PRICE
P2130-100	6P2C	Flat	Stranded	100-pack	\$0.10

### 6 Position Long Body Modular Plug

Similar to the standard 6 position modular plug but has a long body as required to mate with deeply recessed modular sockets. Plugs with 50µ", 30µ" or 15µ" gold plated contacts are available. Packed in bags of 20, 50, 100 or 1000. Plugs for stranded or solid conductors with round or flat cord entry are available.



CAT#	TYPE	CORD ENTRY	CONDUCTOR	PACKING	PRICE
P2148	6P6C	Flat	Stranded	Bulk	\$6.97

**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD




# TELEMASTER

## Telephone Accessories



### 6 Position & 8 Position Shielded Modular Plugs


6 position and 8 position shielded modular plugs for connection to FTP, STP or flat shielded cable. Plugs with 50µ", 30µ" or 15µ" gold plated contacts are available. Packed in bags of 10, 100 or bulk. Plugs for stranded or solid conductors with round or flat cord entry are stocked.



CAT#	TYPE	CORD ENTRY	SHEILD	CONDUCTOR	PACKING	PRICE
P2167	8P8C	Round	Half	Solid	Bulk	\$0.34

### Modular Double Adaptor

Two devices with modular plugs can be connected to one modular socket using these modular double adaptors. Standard wiring configuration is straight-through. Special wiring configurations are also available.



CAT#	TYPE	WIRING CONFIGURATION	PACKING	PRICE
P2202	8P8C	Straight-through (1-1)	Bulk	\$0.76

### BT/NZ Wall Socket


Standard BT/NZ telephone line wall socket. Up to 6 conductors can be connected using screw terminals. Spring-loaded socket cover prevents intrusion of dust and moisture. White in colour.



CAT#	TYPE	BT TYPE	PRICE
P3030	6P6C	Slave	\$2.01

### 610/611 Stacking Adaptor

This adaptor replaces the original lid of an existing 610 or 611 socket, allowing another 610 or 611 to be stacked on top. All wiring is fed through internally.



CAT#	COLOUR	PRICE
P8630WHI	White	\$0.69

### Cat6 IDC Jack

Datamaster's premium RJ45 Cat6 IDC data jack. Compatible with our P4600 series flush plates and most standard Australian flush plates. Also suits our P4611 Surface Boxes. Rear termination with 110 or Krone IDC impact tool. Combined T568A & T568B colour coding for easy installation. Available in individual Datamaster® zip-top bags or buckets of 50 pieces which include a bonus impact safety chassis for safe and speedy termination.



CAT#	COLOUR	PACKING	PRICE
P4666YEL	Yellow	50 Bucket	\$1.59

### 616M MODE-3 ADAPTOR

Suitable for back to base alarm system installation.



CAT#	COLOUR	PACKING	PRICE
P6163IVO	Ivory	Unit	\$2.15


**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD

# TO ORDER & FOR PRICING:

Contact our sales team now!



NSW

**Grant Smith**

0499 884 228



VIC/TAS

**Brian Boyle**


0423 607 650



NSW

**Mike Scott**

(02) 9414 8888



VIC

**Leo Celentano**

(03) 9330 8333



VIC

**Arthur Alexiou**

0423 607 649



SA, WA & NT

**Chris French**

0438 245 116



QLD

**Calli Lundgaard**

0402 322 270



NSW/ACT

**Tamara Evans**

0438 374 461

**CLEARANCE SALE**  
**EVERYTHING MUST GO**

**CALL NOW**  
**02 9414 8888**

**ACCESS**  
COMMUNICATIONS PTY LTD