

**BNC RG6 Compression** 

P0724BLU, P0724RED, P0724YEL



#### FEATURES

High performance BNC compression connector for trouble free professional water-proof coaxial connections. Available to suit RG59/U or RG6/U dual-shield and RG6/U quad-shield cables. Colour coded bands are used to identify connector/cable compatibility.

The 1-piece design suits either solid copper or copper clad steel cable. Attach using our coaxial cable stripper and professional ratchet compression connector crimp tool T0040.

SKU	COLOUR	ТҮРЕ
P0724BLU	Blue	BNC
P0724RED	Red	BNC
P0724YEL	Yellow	BNC

#### I ELECTRICAL CHARACTERISTICS

Impedance	75 OHM	
V.S.W.R.	0 - 2 GHz ≥ 1.15	
Return Loss	0 - 3 GHz ≥ - 25dB	
Insertion Loss	0 - 3 GHz ≥ -0.3dB	

## **BNC RG6 Compression**

P0724BLU, P0724RED, P0724YEL




#### I P0724BLU



### **MATERIAL CHARACTERISTICS**

1 9	Shell	D // 0 N: 1 1 DI : 1
		Brass / 1-3μm Nickel Plated
2 I	Body	Brass / 1-3µm Nickel Plated
3 (	Contact	Brass / $3\mu$ " Gold Plated
4 I	Insulation	Delrin / White Colour
5 (	Gasket	Silicon / Orange
6 \	Washer	Steel / Nickel Plated
7 9	Spring	K10 Steel / 1-3µm Nickel Plated
8 I	Female Contact	BECU / Gold Plated
9 1	Washer	Iron / Nickel Plated
10 I	Insulation	P.E / Nature
11 (	Colour Band	P.E / Blue Colour
12 I	Body	Brass / 1-3µm Nickel Plated
13 (	Contact Tube	Brass / 1-3µm Nickel Plated
14 I	Ring	Delrin / Nature
15 I	Ferrule	Brass / 1-3µm Nickel Plated



## **BNC RG6 Compression**

P0724BLU, P0724RED, P0724YEL




#### I P0724RED



#### I MECHANICAL CHARACTERISTICS

1	Shell	Brass / Nickel Plated
2	Body	Brass / Nickel Plated
3	Contact	Brass / Gold Plated
4	Insulation	Delrin / White Colour
5	Gasket	Silicon / Orange
6	Washer	Steel / Nickel Plated
7	Spring	K10 Steel / 1-3µm Nickel Plated
8	Female Contact	BECU / Gold Plated
9	Washer	Steel / Nickel Plated
10	Insulation	PP / White Colour
11	Colour Band	P.E / Red Colour
12	Body	Brass / Nickel Plated
13	Contact Tube	Brass / Nickel Plated
14	Ring	Delrin / Nature
15	Ferrule	Brass / Nickel Plated



## **BNC RG6 Compression**

P0724BLU, P0724RED, P0724YEL



#### **■ P0724YEL**



### **MATERIAL CHARACTERISTICS**

	hell lody	Brass / Nickel Plated
2 B	Body	
		Brass / Nickel Plated
3 C	ontact	Brass / Gold Plated
4 Ir	nsulation	Delrin / White Colour
5 G	asket	Silicon / Orange
6 W	/asher	Steel / Nickel Plated
7 S	pring	K10 Steel / 1-3µm Nickel Plated
8 F	emale Contact	BECU / Gold Plated
9 W	/asher	Steel / Nickel Plated
10 lr	nsulation	PP / White Colour
11 C	Colour Band	P.E / Yellow Colour
12 B	Body	Brass / Nickel Plated
13 C	Contact Tube	Brass / Nickel Plated
14 R	ling	TPR + PP / Nature
15 F	errule	Brass / Nickel Plated

