

BNC RG6 Compression

P0724BLU, P0724RED, P0724YEL



FEATURES

High performance BNC compression connector for trouble free professional water-proof coaxial connections. Available to suit RG59/U or RG6/U dual-shield and RG6/U quad-shield cables. Colour coded bands are used to identify connector/cable compatibility.

The 1-piece design suits either solid copper or copper clad steel cable. Attach using our coaxial cable stripper and professional ratchet compression connector crimp tool T0040.

ELECTRICAL CHARACTERISTICS

Impedance	75 OHM
V.S.W.R.	0 - 2 GHz \geq 1.15
Return Loss	0 - 3 GHz \geq -25dB
Insertion Loss	0 - 3 GHz \geq -0.3dB

P0724BLU



SKU	COLOUR	TYPE
P0724BLU	BLUE	BNC
P0724RED	RED	BNC
P0724YEL	YELLOW	BNC

P0724RED



P0724YEL




To view Access' extensive ranges go to: www.accesscomms.com.au

BNC RG6 Compression

P0724BLU, P0724RED, P0724YEL




P0724RED



MATERIAL CHARACTERISTICS

1	Shell	Brass / Nickel Plated
2	Body	Brass / Nickel Plated
3	Contact	Brass / Gold Plated
4	Insulation	Delrin / White Colour
5	Gasket	Silicon / Orange
6	Washer	Steel / Nickel Plated
7	Spring	K10 Steel / 1-3µm Nickel Plated
8	Female Contact	BECU / Gold Plated
9	Washer	Steel / Nickel Plated
10	Insulation	PP / White Colour
11	Colour Band	P.E / Red Colour
12	Body	Brass / Nickel Plated
13	Contact Tube	Brass / Nickel Plated
14	Ring	Delrin / Nature
15	Ferrule	Brass / Nickel Plated




To view Access' extensive ranges go to: www.accesscomms.com.au

BNC RG6 Compression

P0724BLU, P0724RED, P0724YEL




P0724YEL



MATERIAL CHARACTERISTICS

1	Shell	Brass / Nickel Plated
2	Body	Brass / Nickel Plated
3	Contact	Brass / Gold Plated
4	Insulation	Delrin / White Colour
5	Gasket	Silicon / Orange
6	Washer	Steel / Nickel Plated
7	Spring	K10 Steel / 1-3µm Nickel Plated
8	Female Contact	BECU / Gold Plated
9	Washer	Steel / Nickel Plated
10	Insulation	PP / White Colour
11	Colour Band	P.E / Yellow Colour
12	Body	Brass / Nickel Plated
13	Contact Tube	Brass / Nickel Plated
14	Ring	TPR + PP / Nature
15	Ferrule	Brass / Nickel Plated




To view Access' extensive ranges go to: www.accesscomms.com.au

BNC RG6 Compression

P0724BLU, P0724RED, P0724YEL




P0724BLU



MATERIAL CHARACTERISTICS

1	Shell	Brass / 1-3 μ m Nickel Plated
2	Body	Brass / 1-3 μ m Nickel Plated
3	Contact	Brass / 3 μ " Gold Plated
4	Insulation	Delrin / White Colour
5	Gasket	Silicon / Orange
6	Washer	Steel / Nickel Plated
7	Spring	K10 Steel / 1-3 μ m Nickel Plated
8	Female Contact	BECU / Gold Plated
9	Washer	Iron / Nickel Plated
10	Insulation	P.E / Nature
11	Colour Band	P.E / Blue Colour
12	Body	Brass / 1-3 μ m Nickel Plated
13	Contact Tube	Brass / 1-3 μ m Nickel Plated
14	Ring	Delrin / Nature
15	Ferrule	Brass / 1-3 μ m Nickel Plated



To view Access' extensive ranges go to: www.accesscomms.com.au