

Wall Phone Bracket 6P4C

P1415



FEATURES

Wall phone bracket for easy installation of telephones that have standard modular wall mountings.

The line is connected from bracket to phone by a 160mm long modular cord. Bracket has two studs onto which the phone slides.

Fits standard Australian electrical switch plate installation hardware.

Ivory colour. Dimensions 76(W) x 119(H) x 9(D)mm.

WIRING


J1 (6P4C Socket)	Colour	J2 (Screw Terminals)
2	Black	1
3	Red	2
4	Green	3
5	Yellow	4

J3 (6P4C Plug)	Colour	J4 (6P4C Plug)
2	Black	5
3	Red	4
4	Green	3
5	Yellow	2

Wall Phone Bracket 6P4C

P1415

DESIGN & CONSTRUCTION



Wall Phone Bracket 6P4C P1415

NO	MATERIAL NAME	UNIT	DESCRIPTION
1	TEL.CORD	180 ± 5mm	4C #28 (7/0.12) O/D 2.40 x 4.80mm Insulation PP I/D 0.95mm PVC Jacket White Colour (Semi glossy)
2	SCREWS	2 PCS	6 #*25 0M Nickel Plated
3	MODULAR PLUGS	2 PCS	US 6P4C (Blank Latch)
4	WIRE	60 ± 3mm	UL 1061 #26 YEL
5	WIRE	60 ± 3mm	UL 1061 #26 GRN
6	WIRE	60 ± 3mm	UL 1061 #26 RED
7	WIRE	60 ± 3mm	UL 1061 #26 BLK
8	GOLD PIN	84mm	Gold Plated (Exposed Length (14 / 16mm x each 2 PCS)
9	TERMINAL	4 PCS	Connected to Gold Pin
10	TERMINAL	4 PCS	Glasses Terminal
11	SCREWS	8 PCS	3*5PP Nickel Plated
12	SCREWS	2 PCS	8#*7 OP Nickel Plated
13	PLASTIC CASE	1 PC	Lid ABS No UL Material Off-White
14	PLASTIC CASE	1 PC	Bottom ABS No UL Material Off-White
15	PLASTIC CASE	1 PC	8C Holder ABS No UL Material Off-White
16	LABEL	1 PC	A-Tick N692 10*10mm Transparent (Black Character)
17	PVC SPACER	1 PC	Transparent PVC Spacer + Double Sides Tape

To view Access' extensive ranges go to: www.accesscomms.com.au

Sydney (Head Office)
Brisbane Sales
Melbourne Office
Adelaide Office

Unit 1, 29 Prince William Drive, Seven Hills NSW 2147
28 The Gateway, Broadmeadows VIC 3047
71 Anzac Highway, Ashford SA 5035

Phone: (02) 9414 8888
Phone: (07) 3308 5555
Phone: (03) 9330 8333
Phone: (08) 8338 5540

sales@accesscomms.com.au
brisbane@accesscomms.com.au
melbourne@accesscomms.com.au
adelaide@accesscomms.com.au