### **DATAMASTER**



**Australian Flush Plates** 

P4600WHI, P4601WHI, P4602WHI, P4603WHI, P4604WHI, P4605WHI, P4606WHI



#### **■ FEATURES**

- Our premium Australian flush plates to accept our premium Voice-Grade, Cat-5E or Cat-6 IDC jacks.
- Also compatible with other standard Australian mechanisms and jacks including F-connectors etc.
- The 2-piece design has a separate back plate and cover, allowing cover to be removed for painting etc.
- Fits standard Australian electrical switch plate installation hardware and screw centres, making it perfect for easy flush installation on gyprock or fibro cavity walls.
- Supplied unloaded without jacks, packed in individual Datamaster® zip-top bags inside carton of 10.
- Standard colour is white, other colours available on request subject to minimum order quantity.
- Dimensions 116(W) x 75(H) x 13(D)mm.

#### ■ TECHNICAL SPECIFICATIONS

CATEGORY	VALUE
Plate Thickness	ss 12.9mm
Mounting Centre	ntre 84mm
Plate Size	73.6mm (W) x 117mm (H)
Colours	White
Orientation	Available in vertical and horizontal
Compliance	AS/NZ 3133


### **DATAMASTER**


# COMMUNICATIONS PTYLTD

# Australian Flush Plates P4600WHI, P4601WHI, P4602WHI, P4603WHI,


P4604WHI, P4605WHI, P4606WHI


#### **P4600WHI**






#### P4601WHI










**P4604WHI** 


**P4602WHI** 




#### **P4603WHI**













#### **P4605WHI**







**P4606WHI** 



Phone: (03) 9330 8333

brisbane@accesscomms.com.au melbourne@accesscomms.com.au adelaide@accesscomms.com.au

## **DATAMASTER**

## COMMUNICATIONS PTYLTD

# Australian Flush Plates P4600WHI, P4601WHI, P4602WHI, P4603WHI,

P4604WHI, P4605WHI, P4606WHI

#### **AVAILABLE MODELS**

